



# Chain of Custody

## EMSL Order Number *(Lab Use Only)*:

PHONE:  
FAX:

<b>Company :</b>	<b>EMSL-Bill to:</b> <input type="checkbox"/> Same <input type="checkbox"/> Different If Bill to is Different note instructions in Comments**
<b>Street:</b>	<b>Third Party Billing requires written authorization from third party</b>
<b>City:</b>	<b>State/Province:</b> <b>Zip/Postal Code:</b> <b>Country:</b>
<b>Report To (Name):</b>	<b>Fax #:</b> <b>Purchase Order:</b>
<b>Telephone #:</b>	<b>Email Address:</b>
<b>Project Name/Number:</b>	<b>Please Provide Results:</b> <input type="checkbox"/> Fax <input type="checkbox"/> Email <input type="checkbox"/> Mail
<b>U.S. State Samples Taken:</b>	<b>Connecticut Samples:</b> <input type="checkbox"/> Commercial <input type="checkbox"/> Residential

**Turnaround Time (TAT) Options\* - Please Check**

3 Hour   
  6 Hour   
  24 Hour   
  48 Hour   
  72 Hour   
  96 Hour   
  1 Week   
  2 Week

\*For RUSH TATs, Please Call Ahead to Confirm Lab Hours and Availability. Not all TAT options are valid for every test. Materials Science and IAQ TATs are in Business Days rather than Hours (i.e. 24 Hour = End of Next Business Day)

**Asbestos**

<b>PCM - Air</b> <input type="checkbox"/> NIOSH 7400 <input type="checkbox"/> w/8hr. TWA <b>TEM - Air</b> <input type="checkbox"/> 4-4.5hr TAT (AHERA ONLY) <input type="checkbox"/> AHERA 40 CFR, Part 763 <input type="checkbox"/> NIOSH 7402 <input type="checkbox"/> EPA Level II <input type="checkbox"/> ISO 10312	<b>PLM - Bulk</b> <input type="checkbox"/> PLM EPA 600/R-93/116 <input type="checkbox"/> PLM EPA NOB (<1%) <input type="checkbox"/> NYS 198.1 (friable-NY) <input type="checkbox"/> NYS 198.6 (non-friable-NY) Point Count <input type="checkbox"/> 400 (<0.25%) <input type="checkbox"/> 1000 (<0.1%) Point Count w/ Gravimetric <input type="checkbox"/> 400 (<0.25%) <input type="checkbox"/> 1000 (<0.1%)	<b>TEM - Bulk</b> <input type="checkbox"/> TEM EPA NOB <input type="checkbox"/> NYS NOB 198.4 (non-friable-NY) <input type="checkbox"/> Chatfield SOP <b>Soil/Rock/Vermiculite</b> <input type="checkbox"/> PLM CARB 435 - A (0.25% sensitivity) <input type="checkbox"/> PLM CARB 435 - B (0.1% sensitivity) <input type="checkbox"/> TEM CARB 435 - B (0.1% sensitivity) <input type="checkbox"/> EPA Reg. 1 Screening Protocol (Qualitative)
<b>TEM - Water</b> Fibers $\geq$ 10 $\mu$ m <input type="checkbox"/> Waste <input type="checkbox"/> Drinking All Fiber Sizes <input type="checkbox"/> Waste <input type="checkbox"/> Drinking	<b>TEM - Dust</b> <input type="checkbox"/> Microvac - ASTM D 5755 <input type="checkbox"/> Wipe-ASTM D6480	<b>Other:</b>

<b>Lead (Pb)</b>	<b>Materials Science</b>				
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; vertical-align: top;"> <b>Flame Atomic Absorption</b>  <input type="checkbox"/> Chips SW846-7000B or AOAC 974.02  <input type="checkbox"/> Soil SW846-7000B/7420  <input type="checkbox"/> Air NIOSH 7082  <input type="checkbox"/> Wastewater SM3111B or SW846-7000B/7420  <input type="checkbox"/> ASTM Wipe SW846-7000B/7420  <input type="checkbox"/> non ASTM Wipe SW846-7000B/7420  <input type="checkbox"/> TCLP SW846-1311/7420/SM 3111B           </td> <td style="width: 50%; vertical-align: top;"> <b>ICP</b>  <input type="checkbox"/> Air NIOSH 7300 Modified  <input type="checkbox"/> non ASTM Wipe SW846-6010B or C  <input type="checkbox"/> ASTM Wipe SW846-6010B or C  <input type="checkbox"/> Soil SW846-6010 B or C  <input type="checkbox"/> Waste Water SW846-6010B or C  <input type="checkbox"/> TCLP SW846-6010B or C           </td> </tr> <tr> <td colspan="2"> <b>Graphite Furnace Atomic Absorption</b>  <input type="checkbox"/> Soil SW846-7421    <input type="checkbox"/> Wastewater EPA 200.9  <input type="checkbox"/> Air NIOSH 7105    <input type="checkbox"/> Drinking Water EPA 200.9           </td> </tr> </table>	<b>Flame Atomic Absorption</b> <input type="checkbox"/> Chips SW846-7000B or AOAC 974.02 <input type="checkbox"/> Soil SW846-7000B/7420 <input type="checkbox"/> Air NIOSH 7082 <input type="checkbox"/> Wastewater SM3111B or SW846-7000B/7420 <input type="checkbox"/> ASTM Wipe SW846-7000B/7420 <input type="checkbox"/> non ASTM Wipe SW846-7000B/7420 <input type="checkbox"/> TCLP SW846-1311/7420/SM 3111B	<b>ICP</b> <input type="checkbox"/> Air NIOSH 7300 Modified <input type="checkbox"/> non ASTM Wipe SW846-6010B or C <input type="checkbox"/> ASTM Wipe SW846-6010B or C <input type="checkbox"/> Soil SW846-6010 B or C <input type="checkbox"/> Waste Water SW846-6010B or C <input type="checkbox"/> TCLP SW846-6010B or C	<b>Graphite Furnace Atomic Absorption</b> <input type="checkbox"/> Soil SW846-7421 <input type="checkbox"/> Wastewater EPA 200.9 <input type="checkbox"/> Air NIOSH 7105 <input type="checkbox"/> Drinking Water EPA 200.9		<input type="checkbox"/> Common Particle ID (large particles) <input type="checkbox"/> Full Particle ID (environmental dust) <input type="checkbox"/> Basic Material ID (solids) <input type="checkbox"/> Advanced Material ID <input type="checkbox"/> Physical Testing (Tensile, Compression) <input type="checkbox"/> Combustion-by-products (soot, char, etc.) <input type="checkbox"/> X-Ray Fluorescence (elem. analysis) <input type="checkbox"/> X-Ray Diffraction (Crystalline Part.) <input type="checkbox"/> MMVFs (Fibrous glass, RCF's) <input type="checkbox"/> Particle Size (sieve/microscopy/laser) <input type="checkbox"/> Combustible Dust <input type="checkbox"/> Petrographic Examination <b>Other:</b> <input type="checkbox"/>
<b>Flame Atomic Absorption</b> <input type="checkbox"/> Chips SW846-7000B or AOAC 974.02 <input type="checkbox"/> Soil SW846-7000B/7420 <input type="checkbox"/> Air NIOSH 7082 <input type="checkbox"/> Wastewater SM3111B or SW846-7000B/7420 <input type="checkbox"/> ASTM Wipe SW846-7000B/7420 <input type="checkbox"/> non ASTM Wipe SW846-7000B/7420 <input type="checkbox"/> TCLP SW846-1311/7420/SM 3111B	<b>ICP</b> <input type="checkbox"/> Air NIOSH 7300 Modified <input type="checkbox"/> non ASTM Wipe SW846-6010B or C <input type="checkbox"/> ASTM Wipe SW846-6010B or C <input type="checkbox"/> Soil SW846-6010 B or C <input type="checkbox"/> Waste Water SW846-6010B or C <input type="checkbox"/> TCLP SW846-6010B or C				
<b>Graphite Furnace Atomic Absorption</b> <input type="checkbox"/> Soil SW846-7421 <input type="checkbox"/> Wastewater EPA 200.9 <input type="checkbox"/> Air NIOSH 7105 <input type="checkbox"/> Drinking Water EPA 200.9					

<b>Microbiology</b>		<b>IAQ</b>
<b>Swab and Bulk Samples</b> <input type="checkbox"/> Mold & Fungi - Direct Examination <input type="checkbox"/> Mold & Fungi Culture (Genus Only) <input type="checkbox"/> Mold & Fungi Culture (Genus & Species) <input type="checkbox"/> Bacterial Count & ID (Up to Three Types) <input type="checkbox"/> Bacterial Count & ID (Up to Five Types)	<b>Air Samples</b> <input type="checkbox"/> Mold & Fungi (Spore Trap) <input type="checkbox"/> Mold & Fungi Culture (Genus Only) <input type="checkbox"/> Mold & Fungi Culture (Genus & Species) <input type="checkbox"/> Bacterial Culture & ID (Up to Three Types) <input type="checkbox"/> Bacterial Culture & ID (Up to Five Types)	Nuisance Dust NIOSH <input type="checkbox"/> 0500 <input type="checkbox"/> 0600 Airborne Dust <input type="checkbox"/> PM10 <input type="checkbox"/> TSP Silica Analysis: <input type="checkbox"/> All Species Silica Analysis - Single Species <input type="checkbox"/> Alpha Quartz <input type="checkbox"/> Cristobalite <input type="checkbox"/> Tridymite <input type="checkbox"/> HVAC Efficiency <input type="checkbox"/> Carbon Black <input type="checkbox"/> Airborne Oil Mist Radon Testing: Call for Kit and COC <b>Other:</b> <input type="checkbox"/>
<b>Sewage Screen</b> <input type="checkbox"/> Sewage Screen (P/A) <input type="checkbox"/> Sewage Screen (Membrane Filtration)	<b>DNA &amp; PCR Testing:</b> (See Analytical Guide for Code) Code: _____ <b>Legionella:</b> (See Analytical Guide for Code) Code: _____ <b>Other:</b> (See Analytical Guide for Code) Code: _____ P/A = Presence/Absence, PP = Pour Plate	
<b>Water Samples</b> <input type="checkbox"/> Total Coliform & E.coli (P/A, SM 9223B) <input type="checkbox"/> Heterotrophic Plate Count (PP, SM 9215B) <input type="checkbox"/> Fecal Coliform (SM 9222D)		

**\*\*Comments/Special Instructions:**

<b>Client Sample #s</b>	-	<b>Total # of Samples:</b>
<b>Relinquished (Client):</b>	<b>Date:</b>	<b>Time:</b>
<b>Received (Lab):</b>	<b>Date:</b>	<b>Time:</b>

